

ENVIRONMENTAL COMPLIANCE APPROVAL

NUMBER 0304-DENRNV

Issue Date: June 4, 2025

Tempel Canada Company
5045 North Service Rd
Burlington, Ontario
L7L 5H6

Site Location: 5045 North Service Road
Burlington City, Regional Municipality of Halton
L7L 5H6

You have applied under section 20.2 of Part II.1 of the Environmental Protection Act, R.S.O. 1990, c. E. 19 (Environmental Protection Act) for approval of:

- one (1) pre-heat furnace controlled by low-NO_x burners and consisting of twelve (12) burners with total thermal input of 4.56 million kilojoules per hour that integrate high-temperature circulation for convective heating before the product is conveyed to the high-heat furnace, associated with the following:
 - two (2) vertical hot air vents, discharging into the atmosphere, each at a volumetric flow rate of 0.6 cubic metre per second, at an approximate temperature of 650 degrees Celsius, through a stack, having an exit diameter of 0.3 metre, extending 4.0 metres above the roof and 8.0 metres above grade; and
 - one (1) exhaust fan, discharging into the atmosphere at a volumetric flow rate of 0.6 cubic metre per second, at an approximate temperature of 650 degrees Celsius, through a stack, having an exit diameter of 0.51 metre, extending 4.0 metres above the roof and 8.0 metres above grade;
- one (1) high-heat furnace controlled by low-NO_x burners and consisting of fifty-four (54) burners with total thermal input of 7.05 million kilojoules per hour for lamination and annealing processes, associated with the following:
 - two (2) exhaust fans, discharging into the atmosphere, each at a volumetric flow rate of 0.79 cubic metre per second, at an approximate temperature of 650 degrees Celsius, through a stack, having an exit diameter of 0.62 metre, extending 4.0 metres above the roof and 8.0

metres above grade; and

- one (1) hot air vent controlled by low-NOx burners and with thermal input of 0.14 million kilojoules per hour, serving the cooling system, discharging into the atmosphere at a volumetric flow rate of 4.03 cubic metres per second, at an approximate temperature of 650 degrees Celsius, through a stack, having an exit diameter of 0.53 metre, extending 4.0 metres above the roof and 8.0 metres above grade;

all in accordance with the Environmental Compliance Approval Application dated April 19, 2024 and signed by Mark Eagles, Tempel Canada, all supporting information associated with the application including Emission Summary and Dispersion Modelling Report provided by DS Consultants, dated April 24, 2024, revised Emission Summary and Dispersion Modelling Report provided by DS Consultants, dated May 9, 2025, signed by Nicholas Hehl and Reese McMillan, emails from Nicholas Hehl, DS Consultants, dated April 11 and April 15 and May 9, 2025; and Acoustic Assessment Report, prepared by EnviroLum Consulting Inc., dated September 4, 2023, and signed by Connie Lum.

For the purpose of this environmental compliance approval, the following definitions apply:

1. "Approval" means this Environmental Compliance Approval, including the application and supporting documentation listed above;
2. "Company" means Tempel Canada Company that is responsible for the construction or operation of the Facility and includes any successors and assigns in accordance with section 19 of the EPA;
3. "Director" means a person appointed for the purpose of section 20.3 of the EPA by the Minister pursuant to section 5 of the EPA;
4. "District Manager" means the District Manager of the appropriate local district office of the Ministry, where the Facility is geographically located;
5. "EPA" means the *Environmental Protection Act*, R.S.O. 1990, c.E.19;
6. "Equipment" means the equipment and processes described in the Company's application, this Approval and in the supporting documentation submitted with the application, to the extent approved by this Approval;
7. "Facility" means the entire operation located on the property where the Equipment is located;
8. "Manual" means a document or a set of documents that provide written instructions to staff of the Company;
9. "Ministry" means the ministry of the government of Ontario responsible for the EPA and includes all officials, employees or other persons acting on its behalf; and
10. "Publication NPC-300" means the Ministry Publication NPC-300, "Environmental Noise Guideline,

Stationary and Transportation Sources – Approval and Planning, Publication NPC-300”, August 2013, as amended.

You are hereby notified that this environmental compliance approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

1. OPERATION AND MAINTENANCE

1. The Company shall ensure that the Equipment is properly operated and maintained at all times. The Company shall:
 - a. prepare, not later than three (3) months after the date of this Approval, and update, as necessary, a Manual outlining the operating procedures and a maintenance program for the Equipment, including:
 - i. routine operating and maintenance procedures in accordance with good engineering practices and as recommended by the Equipment suppliers;
 - ii. emergency procedures;
 - iii. procedures for any record keeping activities relating to operation and maintenance of the Equipment; and
 - iv. all appropriate measures to minimize noise and odorous emissions from all potential sources; and
 - b. implement the recommendations of the Manual.

2. RECORD RETENTION

1. The Company shall retain, for a minimum of two (2) years from the date of their creation, all records and information related to or resulting from the recording activities required by this Approval, and make these records available for review by staff of the Ministry upon request. The Company shall retain:
 - a. all records on the maintenance, repair and inspection of the Equipment; and
 - b. all records of any environmental complaints, including:
 - i. a description, time and date of each incident to which the complaint relates;
 - ii. wind direction at the time of the incident to which the complaint relates; and

- iii. a description of the measures taken to address the cause of the incident to which the complaint relates and to prevent a similar occurrence in the future.

3. NOTIFICATION OF COMPLAINTS

1. The Company shall notify the District Manager, in writing, of each environmental complaint within two (2) business days of the complaint. The notification shall include:
 - a. a description of the nature of the complaint; and
 - b. the time and date of the incident to which the complaint relates.

4. NOISE

1. The Company shall, at all times, ensure that the noise emissions from the Facility comply with the limits set out in Ministry Publication NPC-300.

5. CHANGE OF OWNERSHIP

1. The Company shall notify the Director in writing, and forward a copy of the notification to the District Manager, within thirty (30) days of the occurrence of any of the following changes to Facility operations:
 - a. the ownership of the Facility;
 - b. the operator of the Facility;
 - c. the address of the Company;
 - d. the partners, where the Company is or any time becomes a partnership and a copy of the most recent declaration filed under the Business Names Act, R.S.O. 1990, c. B.17, shall be included in the notification; or
 - e. the name of the corporation where the Company is or at any time becomes a corporation, other than a municipal corporation, and a copy of the most current information filed under the Corporations Information Act, R.S.O. 1990, c. C.39, shall be included in the notification.
2. In the event of any change in ownership of the Facility, the Company shall notify the successor of the existence of this Approval and provide the successor with a copy of this Approval, and the Company shall provide a copy of the notification to the District Manager and the Director.

The reasons for the imposition of these terms and conditions are as follows:

1. Condition No. 1 is included to emphasize that the Equipment must be maintained and operated

according to a procedure that will result in compliance with the EPA, the Regulations and this Approval.

2. Condition No. 2 is included to require the Company to keep records and to provide information to staff of the Ministry so that compliance with the EPA, the Regulations and this Approval can be verified.
3. Condition No. 3 is included to require the Company to notify staff of the Ministry so as to assist the Ministry with the review of the site's compliance.
4. Condition No. 4 is included to provide the minimum performance requirements considered necessary to prevent an adverse effect resulting from the operation of the Facility.
5. Condition No. 5 is included to require the Company to notify/report to the Ministry so that compliance with the EPA, the regulations and this Approval can be verified.

In accordance with Section 139 of the *Environmental Protection Act*, you may by written notice served upon me, the Ontario Land Tribunal and in accordance with Section 47 of the *Environmental Bill of Rights*, 1993, the Minister of the Environment, Conservation and Parks, within 15 days after receipt of this notice, require a hearing by the Tribunal. The Minister of the Environment, Conservation and Parks will place notice of your appeal on the Environmental Registry. Section 142 of the *Environmental Protection Act* provides that the notice requiring the hearing ("the Notice") shall state:

- a. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
- b. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

The Notice should also include:

1. The name of the appellant;
2. The address of the appellant;
3. The environmental compliance approval number;
4. The date of the environmental compliance approval;
5. The name of the Director, and;
6. The municipality or municipalities within which the project is to be engaged in.

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

Registrar*
Ontario Land Tribunal
655 Bay Street, Suite 1500
Toronto, Ontario
M5G 1E5
OLT.Registrar@ontario.ca

and

The Minister of the Environment,
Conservation and Parks
777 Bay Street, 5th Floor
Toronto, Ontario
M7A 2J3

and

The Director appointed for the purposes of
Part II.1 of the *Environmental Protection Act*
Ministry of the Environment,
Conservation and Parks
135 St. Clair Avenue West, 1st Floor
Toronto, Ontario
M4V 1P5

*** Further information on the Ontario Land Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349 or 1 (866) 448-2248, or www.olt.gov.on.ca**

This instrument is subject to Section 38 of the *Environmental Bill of Rights*, 1993, that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek leave to appeal within 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry at

<https://ero.ontario.ca/>, you can determine when the leave to appeal period ends.

The above noted activity is approved under s.20.3 of Part II.1 of the *Environmental Protection Act*.

DATED AT TORONTO this 4th day of June, 2025



Nancy E Orpana, P.Eng.

Director

appointed for the purposes of Part II.1 of the
Environmental Protection Act

AA/

c: District Manager, MECP Halton-Peel District Office
Reese McMillan, DS Consultants Ltd.