

---

**ENVIRONMENTAL COMPLIANCE APPROVAL**

NUMBER 8512-DMQQQUH  
Issue Date: January 14, 2026

William Day Construction Limited  
2500 Elm St  
Post Office Box, No. 1060  
Azilda, Ontario  
P0M 1N0

Site Location: Mobile Facility

*You have applied under section 20.2 of Part II.1 of the Environmental Protection Act, R.S.O. 1990, c. E. 19 (Environmental Protection Act) for approval of:*

Five (5) portable aggregate Screening Plants, used to process aggregate, consisting of the following equipment and emission sources, as identified as follows:

**1. Plant E324:**

maximum production rate: 600 tonnes per hour; including:  
one (1) screener;  
one (1) diesel fired generator rated at 60 kilowatts; and  
truck loading operations.

**2. Plant E525:**

maximum production rate: 350 tonnes per hour; including:  
one (1) screener;  
three (3) stackers;  
one (1) diesel fired generator rated at 200 kilowatts; and  
truck loading operations.

**3. Plant E698 - Cedarapids 5 x 16 Screener:**

maximum production rate: 350 tonnes per hour; including:  
one (1) screener;  
three (3) stackers;  
one (1) diesel fired generator rated at 200 kilowatts; and  
truck loading operations.

**4. Plant E932:**

maximum production rate: 600 tonnes per hour; including:  
one (1) screener;  
three (3) stackers;  
one (1) diesel fired generator rated at 60 kilowatts; and  
truck loading operations.

**5. Plant E996 - Powerscreen 2200 Chieftain Screening Plant:**

maximum production rate: 650 tonnes per hour; including:  
one (1) screener;  
three (3) stackers;  
one (1) diesel fired generator rated at 83 kilowatts; and  
truck loading operations.

all in accordance with the application for an Environmental Compliance Approval (Air and Noise) submitted by the Company, dated December 06, 2024, and signed by Gerry Duhamel; Emission Summary and Dispersion Modelling Report prepared by WSP Canada Inc., dated November 2024; additional information sent by emails dated October 02, 2025, prepared by Julia Trautmann from WSP Canada Inc.; Acoustic Assessment Report, prepared by WSP Canada Inc., dated August 2024 and signed by Sammie Chan and Joe Tomaselli; and all the information associated with the application.

*For the purpose of this environmental compliance approval, the following definitions apply:*

1. "Approval" means this Environmental Compliance Approval, including the application and all supporting documentation;
2. "Class 1 Area" means Class 1 Area as defined in Publication NPC-300;
3. "Class 2 Area" means Class 2 Area as defined in Publication NPC-300;
4. "Class 3 Area" means Class 3 Area as defined in Publication NPC-300;
5. "Company" means William Day Construction Limited that is responsible for the construction or operation of the Plant and includes any successors and assigns;
6. "Director" means any Ministry employee appointed by the Minister pursuant to Section 5 of the EPA;
7. "District Manager" means the District Manager of the appropriate local district office of the Ministry, at the geographic location where the Plant is operated;
8. "EPA" means the Environmental Protection Act, R.S.O. 1990, c.E.19, as amended;
9. "Equipment" means the equipment described in the Company's application, this Approval and in the supporting documentation referred to herein, to the extent approved by this Approval;

10. "Manual" means a document or a set of documents that provides written instructions to staff of the Company;
11. "Ministry" means the ministry of the government of Ontario responsible for the EPA and includes all officials, employees or other persons acting on its behalf;
12. "Plant" means the entire portable crushing operations, incorporating the Equipment;
13. "Point of Reception" means a Point of Reception as defined in Publication NPC-300;
14. "Publication NPC-233" means Ministry Publication NPC-233 "Information to be Submitted for Approval of Stationary Sources of Sound", October 1995;
15. "Publication NPC-300" means the Ministry Publication NPC-300, "Environmental Noise Guideline, Stationary and Transportation Sources – Approval and Planning, Publication NPC-300", August, 2013, as amended;
16. "Sensitive Receptor" means any location where routine or normal activities occurring at reasonably expected times would experience adverse effect(s) from discharges from the Plant to the atmosphere, including one or a combination of:
  - a. private residences or public facilities where people sleep (e.g.: single and multi-unit dwellings, nursing homes, hospitals, trailer parks, camping grounds, etc.),
  - b. institutional facilities (e.g.: schools, churches, community centres, day care centres, recreational centres, etc.),
  - c. outdoor public recreational areas (e.g.: trailer parks, play grounds, picnic areas, etc.), and
  - d. other outdoor public areas where there are continuous human activities (e.g.: commercial plazas and office buildings).

*You are hereby notified that this environmental compliance approval is issued to you subject to the terms and conditions outlined below:*

## TERMS AND CONDITIONS

### **1. Noise Emissions**

1. The Company shall, at all times, ensure that the noise emissions from the Plant comply with the limits determined in accordance with Ministry Publication NPC-300.

### **2. Time Restrictions**

1. The Company shall operate only one (1) Plant at any one site per calendar year.

2. The Company shall ensure that the Plant is not operated more than sixty (60) calendar days per year at any one site.

### **3. Minimum Separation Distance(s) to the Nearest Point of Reception**

1. The Company shall ensure a minimum separation distance between the Plant and the nearest Point of Reception as specified in **Schedule "C"**.

### **4. Minimum Separation Distance to the Nearest Sensitive Receptor**

1. The Company shall ensure a minimum separation distance between the boundary of the Plant and the nearest Sensitive Receptor as specified in **Schedule "B"**.

### **5. Operation and Maintenance Manual**

1. The Company shall ensure that the Plant/Equipment is properly operated and maintained at all times. The Company shall:
  - a. prepare, not later than three (3) months after the date of this Approval, and update, as necessary, a Manual outlining the operating procedures and a maintenance program for the Plant/Equipment, including:
    - i. routine operating and maintenance procedures in accordance with good engineering practices and as recommended by the Equipment suppliers;
    - ii. emergency procedures;
    - iii. procedures for any record keeping activities relating to operation and maintenance of the Plant/Equipment; and
    - iv. all appropriate measures to minimize noise and fugitive dust emissions from all potential sources;
    - v. the frequency of inspection and replacement of the filter material in the Equipment;
  - b. implement the recommendations of the Manual; and
  - c. retain, for a minimum of two (2) years from the date of their creation, all records on the maintenance, repair and inspection of the Equipment, and make these records available for review by staff of the Ministry upon request.

### **6. Fugitive Dust Control**

1. The Company shall provide effective dust suppression for the Equipment and any other sources of fugitive dust emissions from the Plant.

2. The Company shall equip and operate with a water spray system in the Equipment to control the dust emissions from the Plant.

## **7. Marking of Portable Plant**

1. The Company shall post a legible sign in a location which is accessible to the public, clearly identifying:
  - a. the Company name;
  - b. the number of this Approval;
  - c. a brief description of the nature of the operation;
  - d. a Company contact name and telephone number for the public to provide comments;
  - e. hours of operation; and
  - f. length of time the Company intends to operate the Plant at that location.

## **8. Keeping a Valid Approval**

1. The Company shall ensure that a copy of this Approval, as well as any subsequent Amended Approvals or Notices that amend this Approval, are available for inspection by a Provincial Officer at each site where the Plant is operated.

## **9. Record Retention**

1. The Company shall retain, for a minimum of two (2) years from the date of their creation, all records and information related to or resulting from the recording activities required by this Approval, and make these records available for review by staff of the Ministry upon request. The Company shall retain:
  - a. all records on the maintenance, repair and inspection of the Equipment;
  - b. all records on the daily operation of the Plant/Equipment, including:
    - i. daily production rate;
    - ii. daily start-up and shut-down times of the Plant/Equipment;
  - c. all records of any upset conditions associated with the operation of the Plant/Equipment;
  - d. all records on the environmental complaints, including:
    - i. a description, time, date and location of each incident;
    - ii. operating conditions (e.g. upset conditions, etc.) at the time of the incident;

- iii. wind direction and other weather conditions at the time of the incident;
- iv. the name(s) of Company personnel responsible for handling the incident;
- v. the cause of the incident;
- vi. the Company response to the incident; and
- vii. a description of the measures taken to address the cause of the incident and to prevent a similar occurrence in the future, and the outcome of the measures taken.

## **10. Notification of Complaints**

1. The Company shall notify the District Manager, in writing, of each environmental complaint within two (2) business days of the complaint. The notification shall include:
  - a. a description of the nature of the complaint;
  - b. the time, date and location of the incident;
  - c. the wind direction and other weather conditions at the time of the incident; and
  - d. the name(s) of Company personnel responsible for handling the incident.

## **11. Change of Owner**

1. The Company shall notify the Director and the District Manager, in writing, of any of the following changes within thirty (30) days of the change occurring:
  - a. change of owner or operating authority, or both;
  - b. change of address of owner or operating authority or address of new owner or operating authority;
  - c. change of partners where the Owner is or at any time becomes a partnership, and a copy of the most recent declaration filed under the Business Names Act, R.S.O. 1990, c. B.17, as amended, shall be included in the notification;
  - d. change of name of the corporation where the Owner is or at any time becomes a corporation, and a copy of the most current information filed under the Corporations Information Act, R.S.O. 1990, c. C.39, as amended, shall be included in the notification.
2. The Company shall notify any succeeding new owner, in writing, of the existence of this Approval, as well as any subsequent Amended Approvals or Notices that amend this Approval and, shall forward a copy of such a notice to the Director and the District Manager together with the notification required under Condition 12.1.

## **12. Relocation**

1. The Company shall notify the District Manager, in writing, at least ten (10) business days in

advance of any intended location of the Plant at each operating site, by submitting a completed Form 1, outlined in **Schedule "A"**.

### **13. Location**

1. The Company shall ensure that the Plant is only operated in an area which is under the jurisdiction of one of the following Ministry District Offices:
  - a. Sudbury;
  - b. North Bay;
  - c. Sault Ste. Marie;
  - d. Timmins; or
  - e. Thunder Bay and Kenora.

## **SCHEDULE "A"**

### **NOTICE OF RELOCATION FOR PORTABLE EQUIPMENT**

1. Owner and/or Operator
  - a. Company name :
  - b. Contact person :
  - c. Telephone number :
2. Proposed Location
  - a. Municipality:
  - b. Lot number:
  - c. Concession number:
3. Operation
  - a. Date of commencement and completion of operation: from to
  - b. Hours of operation: from to
  - c. Identification of the Plant and the operating scenario as defined in **Schedule "B"** and **Schedule "C"** of this Approval
  - d. Maximum processing rate (tonnes/hour):
  - e. Type of material to be processed:

Please attach the following:

1. A copy of the Approval.
2. A plot plan or sketch of the proposed location showing the following:
  - a. the entire operating site
  - b. distance between the Equipment and the nearest off-property Point of Reception
  - c. distance between the Equipment and the nearest Sensitive Receptor
  - d. land use within 1000 metres from the Equipment.

## SCHEDULE "B"

**The required Minimum Separation Distance to the Nearest Sensitive Receptor under different scenarios**

Equipment IDs	Maximum Aggregate Processing Rates (Tonnes/Hr)	Area in Northern Ontario	Surface Category	Minimum Required Separation Distance (m)
E324 & E932	600	Sudbury, North Bay, Sault Ste. Marie, and Timmins	Forest	450
			Crops	1,450
	350	Thunder Bay and Kenora	Forest	350
			Crops	950
E525 & E698	350	Sudbury, North Bay, Sault Ste. Marie, and Timmins	Forest	350
			Crops	950
		Thunder Bay and Kenora	Forest	250

			Crops	750
E996	600	Sudbury, North Bay, Sault Ste. Marie, and Timmins	Forest	450
			Crops	1,450
		Thunder Bay and Kenora	Forest	350
			Crops	950

## SCHEDULE "C"

### Minimum Required Separation Distances from Points of Reception

Table 1: minimum separation distance between the 1990 or 1991 Powerscreen Powergrid and the nearest Point of Reception at 4.5 m height - Unmitigated

<b>NPC-300 Acoustical Area</b>	<b>Time of Equipment Operation</b>	<b>Sound Level Limit (dBA)</b>	<b>Minimum Separation Distance (m)</b>
Class 1 and Class 2 Areas Day/Evening	7:00 AM to 11:00 PM	50	835
Class 1 and Class 2 Areas Night	11:00 PM to 7:00 AM	45	1,250
Class 3 Areas Day	7:00 AM to 7:00 PM	45	1,150
Class 3 Areas Evening/Night	7:00 PM to 7:00 AM	40	1,680

Table 2: minimum separation distance between the 1990 or 1991 Powerscreen Powergrid and the nearest Point of Reception at 4.5 m height - Mitigated (berm/stockpile/barrier at 10 m height and within 18 m of the edge the Equipment)

<b>NPC-300 Acoustical Area</b>	<b>Time of Equipment Operation</b>	<b>Sound Level Limit (dBA)</b>	<b>Minimum Separation Distance (m)</b>
Class 1 and Class 2 Areas Day/Evening	7:00 AM to 11:00 PM	50	155
Class 1 and Class 2 Areas Night	11:00 PM to 7:00 AM	45	270
Class 3 Areas Day	7:00 AM to 7:00 PM	45	265
Class 3 Areas Evening/Night	7:00 PM to 7:00 AM	40	475

Table 3: minimum separation distance between the Powerscreen 2200 Chieftain Screening Plant and

the nearest Point of Reception at 4.5 m height -  
Unmitigated

<b>NPC-300 Acoustical Area</b>	<b>Time of Equipment Operation</b>	<b>Sound Level Limit (dBA)</b>	<b>Minimum Separation Distance (m)</b>
Class 1 and Class 2 Areas Day/Evening	7:00 AM to 11:00 PM	50	720
Class 1 and Class 2 Areas Night	11:00 PM to 7:00 AM	45	1,090
Class 3 Areas Day	7:00 AM to 7:00 PM	45	1,000
Class 3 Areas Evening/Night	7:00 PM to 7:00 AM	40	1,475

Table 4: minimum separation distance between the Powerscreen 2200 Chieftain Screening Plant and the nearest Point of Reception at 4.5 m height - Mitigated (berm/stockpile/barrier at 10 m height and within 18 m of the edge the Equipment)

<b>NPC-300 Acoustical Area</b>	<b>Time of Equipment Operation</b>	<b>Sound Level Limit (dBA)</b>	<b>Minimum Separation Distance (m)</b>
Class 1 and Class 2 Areas Day/Evening	7:00 AM to 11:00 PM	50	135
Class 1 and Class 2 Areas Night	11:00 PM to 7:00 AM	45	235
Class 3 Areas Day	7:00 AM to 7:00 PM	45	225
Class 3 Areas Evening/Night	7:00 PM to 7:00 AM	40	410

Table 5: minimum separation distance between the Cedarapids 5 x 16 Screener and the nearest Point of Reception at 4.5 m height - Unmitigated

<b>NPC-300 Acoustical Area</b>	<b>Time of Equipment Operation</b>	<b>Sound Level Limit (dBA)</b>	<b>Minimum Separation Distance (m)</b>
Class 1 and Class 2 Areas Day/Evening	7:00 AM to 11:00 PM	50	720

Class 1 and Class 2 Areas Night	11:00 PM to 7:00 AM	45	1,095
Class 3 Areas Day	7:00 AM to 7:00 PM	45	1,010
Class 3 Areas Evening/Night	7:00 PM to 7:00 AM	40	1,495

Table 6: minimum separation distance between the Cedarapids 5 x 16 Screener and the nearest Point of Reception at 4.5 m height - Mitigated (berm/stockpile/barrier at 10 m height and within 18 m of the edge the Equipment)

<b>NPC-300 Acoustical Area</b>	<b>Time of Equipment Operation</b>	<b>Sound Level Limit (dBA)</b>	<b>Minimum Separation Distance (m)</b>
Class 1 and Class 2 Areas Day/Evening	7:00 AM to 11:00 PM	50	140
Class 1 and Class 2 Areas Night	11:00 PM to 7:00 AM	45	245
Class 3 Areas Day	7:00 AM to 7:00 PM	45	235
Class 3 Areas Evening/Night	7:00 PM to 7:00 AM	40	435

Table 7: minimum separation distance between the 2011 Elrus 6 x 14 Deck Screening Plant and the nearest Point of Reception at 4.5 m height - Unmitigated

<b>NPC-300 Acoustical Area</b>	<b>Time of Equipment Operation</b>	<b>Sound Level Limit (dBA)</b>	<b>Minimum Separation Distance (m)</b>
Class 1 and Class 2 Areas Day/Evening	7:00 AM to 11:00 PM	50	935
Class 1 and Class 2 Areas Night	11:00 PM to 7:00 AM	45	1,400
Class 3 Areas Day	7:00 AM to 7:00 PM	45	1,290
Class 3 Areas Evening/Night	7:00 PM to 7:00 AM	40	1,885

Table 8: minimum separation distance between the 2011 Elrus 6 x 14 Deck Screening Plant and the

nearest Point of Reception at 4.5 m height -  
 Mitigated (berm/stockpile/barrier at 10 m height  
 and within 18 m of the edge the Equipment)

<b>NPC-300 Acoustical Area</b>	<b>Time of Equipment Operation</b>	<b>Sound Level Limit (dBA)</b>	<b>Minimum Separation Distance (m)</b>
Class 1 and Class 2 Areas Day/Evening	7:00 AM to 11:00 PM	50	220
Class 1 and Class 2 Areas Night	11:00 PM to 7:00 AM	45	425
Class 3 Areas Day	7:00 AM to 7:00 PM	45	400
Class 3 Areas Evening/Night	7:00 PM to 7:00 AM	40	805

*The reasons for the imposition of these terms and conditions are as follows:*

1. Conditions No. 1 to 9, inclusive, are included to provide the minimum performance requirements considered necessary to prevent an adverse effect resulting from the operation of the Plant/Equipment and to emphasize that the Plant/Equipment must be maintained and operated according to a procedure that will result in compliance with the EPA, the regulations and this Approval.
2. Condition No. 10 is included to require the Company to keep records and to provide information to the Ministry so that compliance with the EPA, the regulations and this Approval can be verified.
3. Conditions No. 11 to 13, inclusive, are included to require the Company to notify/report to the Ministry so that compliance with the EPA, the regulations and this Approval can be verified.

In accordance with Section 139 of the *Environmental Protection Act*, you may by written notice served upon me, the Ontario Land Tribunal and in accordance with Section 47 of the *Environmental Bill of Rights*, 1993, the Minister of the Environment, Conservation and Parks, within 15 days after receipt of this notice, require a hearing by the Tribunal. The Minister of the Environment, Conservation and Parks will place notice of your appeal on the Environmental Registry. Section 142 of the *Environmental Protection Act* provides that the notice requiring the hearing ("the Notice") shall state:

- a. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
- b. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

The Notice should also include:

1. The name of the appellant;

2. The address of the appellant;
3. The environmental compliance approval number;
4. The date of the environmental compliance approval;
5. The name of the Director, and;
6. The municipality or municipalities within which the project is to be engaged in.

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

Registrar\*  
 Ontario Land Tribunal  
 655 Bay Street, Suite 1500  
 Toronto, Ontario  
 M5G 1E5  
 OLT.Registrar@ontario.ca

and

The Minister of the Environment,  
 Conservation and Parks  
 777 Bay Street, 5th Floor  
 Toronto, Ontario  
 M7A 2J3

and


The Director appointed for the purposes of  
 Part II.1 of the *Environmental Protection Act*  
 Ministry of the Environment,  
 Conservation and Parks  
 135 St. Clair Avenue West, 1st Floor  
 Toronto, Ontario  
 M4V 1P5

\* **Further information on the Ontario Land Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349 or 1 (866) 448-2248, or [www.olt.gov.on.ca](http://www.olt.gov.on.ca)**

This instrument is subject to Section 38 of the *Environmental Bill of Rights*, 1993, that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek leave to appeal within 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry at <https://ero.ontario.ca/>, you can determine when the leave to appeal period ends.

The above noted activity is approved under s.20.3 of Part II.1 of the *Environmental Protection Act*.

DATED AT TORONTO this 14th day of January, 2026




---

Nancy E Orpana, P.Eng.  
 Director  
 appointed for the purposes of Part II.1 of the  
*Environmental Protection Act*

JL/

c: District Manager, MECP Sudbury  
 Kennedy Williamson, WSP Canada inc.