

Certificate of Property Use

Issued under the authority of the *Environmental Protection Act*, R.S.O. 1990, c. E.19,
sections 168.6 (CPU) and 197 (Order)

**Certificate of Property use number 5465-CRYQBU
Risk Assessment number 4554-BH7QV6**

Owner: Minto (Fifth + Bank) GP Inc. (Registered Owner)
200 – 180 Kent St.
Ottawa, Ontario
K1P 0B6

Minto (Fifth + Bank) GP Inc.
as general partner on behalf of
Fifth + Bank LP (Beneficial Owner)
200 – 180 Kent St.
Ottawa, Ontario
K1P 0B6

Property: Part of 819 Bank St.
Ottawa, Ontario

with a Legal Description of:

Lots 36 & 37 (North Fifth Avenue), Part of Lots 18, 19, 20 & 21 (East Bank Street),
Registered Plan 34756 and Lots 36 & 37 (South Fourth Avenue) Registered Plan 35085,
being Parts 1 & 2, 4R-33984; City of Ottawa

Being Part of PIN 04138-0386 (LT)

The conditions of this Certificate of Property Use address the Risk Management Measures in the Risk Assessment noted above and described in detail in Part 1 below. In the event of a conflict between the CPU and the Risk Assessment, the conditions of the CPU take precedence.

Part 1: Interpretation

In the CPU the following terms shall have the meanings described below:

“Adverse Effect” has the same meaning as in the Act; namely,

- (a) impairment of the quality of the natural environment for any use that can be made of it,
- (b) injury or damage to property or to plant or animal life,
- (c) harm or material discomfort to any person,
- (d) an adverse effect on the health of any person,
- (e) impairment of the safety of any person,
- (f) rendering any property or plant or animal life unfit for human use,
- (g) loss of enjoyment of normal use of property, and,
- (h) interference with the normal conduct of business.

“Act” means the *Environmental Protection Act*, R.S.O. 1990, c. E.19.

“Active SVIMS” means a soil vapour intrusion mitigation system designed and operated to collect and remove soil vapour from below a Building and convey the soil vapour through vent risers to the outside air by means of one or more electrical fan powered vents drawing air from below the Building.

“Applicable Site Condition Standards” or “ASCS” means the soil and groundwater criteria for coarse textured soils in the context of residential/parkland/institutional property use and which appear at Table 3 Generic Site Condition Standards for Shallow Soils in a Non-Potable Groundwater presented in the Ministry publication *Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act*, dated April 15, 2011.

“Barrier” means a Fill Cap Barrier, Hard Cap Barrier or Shallow Soil Cap Barrier.

“Building” means an enclosed structure occupying an area greater than ten square metres consisting of a wall or walls, roof and floor.

“Building Area” means the horizontal area of a Building at Grade within the outside surface of the exterior wall or walls.

“Building Code” means Ontario Regulation 332/12 (Building Code) as amended to January 1, 2015, made under the *Building Code Act*, 1992, S.O. 1992, c. 23.

“Capping Soil” means soil that meets the Applicable Site Condition Standards for the Property and does not contain any contaminant for which no Applicable Site Condition Standard for soil is prescribed under Part IX (Site Condition Standards and Risk Assessment) and, which is associated with any potentially contaminating activity described in the Risk Assessment.

“Certificate of Property Use” or “CPU” means this certificate of property use bearing the number 5465-CRYQBU issued for the Property by the Director under section 168.6 of the Act, as it may be amended from time to time.

“Competent Person” has the same meaning as in the *Occupational Health and Safety Act*, R.S.O. 1990, c. O.1.

“Contaminant” has the same meaning as in the Act, namely any solid, liquid, gas, odour, heat, sound, vibration, radiation or combination of any of them, resulting directly or indirectly from human activities that cause or may cause an Adverse Effect.

“Contaminants of Concern” or “C O Cs” - the singular form is presented as “C O C” - has the same meaning as in O. Reg. 153/04, which, for the Property, means one or more contaminants found on, in or under the Property at a concentration that exceeds the Applicable Site Condition Standards for the Property, as specified in section 7 of the Risk Assessment report and in Schedule A of the CPU.

“Director” means a person in the Ministry appointed as a director for the purpose of issuing a certificate of property use under section 168.6 of the Act.

“EBR” means the *Environmental Bill of Rights*, 1993, S.O. 1993, c. 28.

“Fill Cap Barrier” means cover, above the Contaminants of Concern, that,

- a. is at least, 1.0 metre thick, or any greater thickness than 1.0 metre, as specified in section 7 of the Risk Assessment report and,
- b. consists of at least 0.5 metres thickness of Capping Soil, and above this, cover consisting of additional Capping Soil or non-soil surface treatment such as asphalt, concrete or concrete pavers, stone pavers, brick or aggregate.

“Grade” has the same meaning as in the Building Code.

“Hard Cap Barrier” means an asphalt or concrete cover layer, above the Contaminants of Concern, that is at least 225 millimetres thick, and consists of at least 75 millimetres thickness of hot mix asphalt or poured concrete underlain by Granular “A” aggregate or equivalent material and includes a Building slab or Building foundation and floor slab meeting these specifications.

“Intrusive Activities” means any and all intrusive activities undertaken at the Property, such as excavating or drilling into soil or groundwater, which may disturb or expose Contaminants of Concern at the Property.

“Licensed Professional Engineer” means a person who: (a) holds a licence, limited licence or temporary licence under the *Professional Engineers Act*, R.S.O. 1990, c. P.28; (b) has obtained the appropriate education and training; and, (c) has demonstrated experience and expertise in the areas relating to the work required to be carried out for the purpose of this CPU.

“Minister” means the minister of the Ministry.

“Ministry”, when used on its own, means the ministry of the government of Ontario responsible for the administration of the Act, currently named the Ministry of the Environment, Conservation and Parks.

“O. Reg. 153/04” means Ontario Regulation 153/04 (Record of Site Condition – Part XV.1 of the Act), made under the Act.

“Owner” means the owner(s) of the Property, beginning with the person(s) to whom the Certificate of Property Use for the Property is first issued by the Director under section 168.6 of the Act based on the Risk Assessment, and any subsequent owner of the Property.

“Passive SVIMS” means a soil vapour intrusion mitigation system designed and operated to collect and remove soil vapour from below a Building and convey the soil vapour through vent risers to the outside air by means of natural forces or one or more wind turbines, or solar powered wind turbine operated vents drawing air from below the Building.

“Property” means the property that is the subject of the Risk Assessment and is described in the property (“Site”) section on page 1 above.

“Property Management Oversight” means management, on an ongoing basis, of all structural, mechanical, electrical, ventilation and other Building and Property services that relate to the installed Active SVIMS, as applicable for the Property as set out in section 7 of the Risk Assessment report including oversight of operation, inspection, monitoring, maintenance and repair activities, and of operational and reserve funding for these activities, by a property manager or management company engaged by the Owner or, in the case of collective ownership, by an authorized representative or representatives of the collective ownership of the Building and Property, such as a condominium board.

“Property Specific Standards” means the standards established as the maximum allowable concentrations for the Contaminants of Concern at the Property, as specified in section 6 of the Risk Assessment report and in Schedule A of the CPU.

“Provincial Officer” has the same meaning as in the Act, namely, a person who is designated by the Minister as a provincial officer for the purposes of the Act and the regulations.

“Qualified Person” means a person who meets the qualifications set out in subsection 5(2) of O. Reg. 153/04.

“Risk Assessment” means the risk assessment number 4108-BFJNNV submitted with respect to the Property and accepted by a Director under section 168.5 of the Act on May 25th, 2023 and set out in the following documents:

- “Human Health and Ecological Risk Assessment, 819 Bank Street, Ottawa, Ontario”, by NovaTox Inc., dated October 2020;
- “Human Health and Ecological Risk Assessment, 819 Bank Street, Ottawa, Ontario”, by NovaTox Inc., dated April 2021;
- “Human Health and Ecological Risk Assessment, 819 Bank Street, Ottawa, Ontario”, by NovaTox Inc., dated March 2023;
- “RE: Request for additional information, 819 Bank Street, Ottawa [RA1811-19c, IDS 4108-BFJNNV]”, email from Christopher Marwood, NovaTox Inc., received by TASDB on May 18, 2023 with the following documents attached:
 - o *18-453 Responses memo 18May2023.pdf*
 - o *JPEG file of areas requiring RM measures*
 - o *Phase II CSM - Part of 819 Bank.pdf*
 - o *RA1811-19c 819BankStOttawa Mar2023.pdf*,
- “RE: Request for additional information, 819 Bank Street, Ottawa [RA1811-19c, IDS 4108-BFJNNV]”, email from Christopher Marwood, NovaTox Inc., received by TASDB on May 19, 2023 with the following documents attached:
 - o *JPEG file of legal survey plan for RA property*, and,
- “RE: 819 Bank Street, S+A Project # 18963-002, Response to Draft CPU Conditions, #5465-CRYQBU”, letter signed by Adrienne Mitani, P. Eng., Smith + Andersen, dated January 26, 2024, issued as file *18963.002.m.001.L001R2 – CPU Mech Conditions.pdf* which also includes the following drawings:
 - o 99 Fifth Avenue Apartments – Level P2 HVAC – Drawing No. M400.1 – Smith + Andersen - Release no. 7, dated December 20, 2019
 - o 99 Fifth Avenue Apartments – Level P1 HVAC – Drawing No. M400.2 – Smith + Andersen - Release no. 8, dated December 20, 2019
 - o 99 Fifth Avenue – Underground Plumbing Plan – As Built - Drawing No. MN-M300.1 – Modern Niagara - Release no. 4, dated November 2, 2021
 - o 99 Fifth Avenue Apartments – Underground Plumbing – Drawing No. M300.1 – Smith + Andersen - Release no. 16, dated January 11, 2021

"Risk Management Measures" means the risk management measures specific to the Property described in the Risk Assessment and/or Part 4 of the CPU.

“Shallow Soil Cap Barrier” means cover, above the Contaminants of Concern, that is at least 0.5 metres thick, and consists of Capping Soil.

“Storage Garage” has the same meaning as in the Building Code.

“SVIMS” means soil vapour intrusion mitigation system.

Part 2: Legal Authority

- 2.1 Section 19 of the Act states that a certificate of property use is binding on the executor, administrator, administrator with the will annexed, guardian of property or attorney for property of the person to whom it was directed, and on any other successor or assignee of the person to whom it was directed.
- 2.2 Subsection 132(1.1) of the Act states that the Director may include in a certificate of property use a requirement that the person to whom the certificate is issued provide financial assurance to the Crown in right of Ontario for any one or more of
- a. the performance of any action specified in the certificate of property use;
 - b. the provision of alternate water supplies to replace those that the Director has reasonable and probable grounds to believe are or are likely to be contaminated or otherwise interfered with by a contaminant on, in or under the property to which the certificate of property use relates; and,
 - c. measures appropriate to prevent adverse effects in respect of the property to which the certificate of property use relates.
- 2.3 Subsection 168.6(1) of the Act states that if the Director accepts a risk assessment relating to a property, he or she may, when giving notice under clause 168.5(1)(a), issue a certificate of property use to the owner of the property, requiring the owner to do any of the following things:
- a. Take any action specified in the certificate that, in the Director's opinion, is necessary to prevent, eliminate or ameliorate any adverse effect on the property, including installing any equipment, monitoring any contaminant or recording or reporting information for that purpose.
 - b. Refrain from using the property for any use specified in the certificate or from constructing any building specified in the certificate on the property.
- 2.4 Subsection 168.6(2) of the Act states that a certificate of property use shall not require an owner of property to take any action that would have the effect of reducing the concentration of a contaminant on, in or under the property to a level below the level that is required to meet the standards specified for the contaminant in the risk assessment.
- 2.5 Subsection 168.6(3) of the Act states that the Director may, on his or her own initiative or on application by the owner of the property in respect of which a certificate of property use has been issued under subsection 168.6(1),
- a. alter any terms and conditions in the certificate or impose new terms and conditions;
- or,

- b. revoke the certificate.
- 2.6 Subsection 168.6(4) of the Act states that if a certificate of property use contains a provision requiring the owner of property to refrain from using the property for a specified use or from constructing a specified building on the property,
- a. the owner of the property shall ensure that a copy of the provision is given to every occupant of the property;
 - b. the provision applies, with necessary modifications, to every occupant of the property who receives a copy of the provision; and
 - c. the owner of the property shall ensure that every occupant of the property complies with the provision.
- 2.7 Subsection 197(1) of the Act states that a person who has authority under the Act to make an order or decision affecting real property also has authority to make an order requiring any person with an interest in the property, before dealing with the property in any way, to give a copy of the order or decision affecting the property to every person who will acquire an interest in the property as a result of the dealing.
- 2.8 Subsection 197(2) of the Act states that a certificate setting out a requirement imposed under subsection 197(1) may be registered in the proper land registry office on the title of the real property to which the requirement relates, if the certificate is in a form approved by the Minister, is signed or authorized by a person who has authority to make orders imposing requirements under subsection 197(1) and is accompanied by a registrable description of the property.
- 2.9 Subsection 197(3) of the Act states that a requirement, imposed under subsection 197(1) that is set out in a certificate registered under subsection 197(2) is, from the time of registration, deemed to be directed to each person who subsequently acquires an interest in the real property.
- 2.10 Subsection 197(4) of the Act states that a dealing with real property by a person who is subject to a requirement imposed under subsection 197(1) or 197(3) is voidable at the instance of a person who was not given the copy of the order or decision in accordance with the requirement.

Part 3: Background

- 3.1 The Risk Assessment was undertaken for the Property on behalf of the Owner to assess the human health risks and ecological risks associated with the presence or discharge of Contaminants of Concern on, in or under the Property and to identify appropriate Risk Management Measures to be implemented to ensure that the Property is suitable for the intended use: **residential use**, as defined in O. Reg. 153/04.
- 3.2 The Contaminants on, in or under the Property that are present above **Table 3** of the **Soil, Ground Water and Sediment Standards for Use under Part XV.1 of the Environmental Protection Act** published by the Ministry and dated April 15, 2011 for coarse textured soils are set out in the Risk Assessment and in Schedule A (Contaminants of Concern). The Property Specific Standards for these Contaminants of Concern are also set out in Schedule A which is attached to and forms part of the CPU. Also attached to and forming part of the CPU is a copy of a current plan of survey of the Property.
- 3.3 I am of the opinion, for the reasons set out in the Risk Assessment that the Risk Management Measures described therein and in Part 4 of the CPU are necessary to prevent, eliminate or ameliorate an Adverse Effect on the Property.
- 3.4 The Risk Assessment indicates the presence of Contaminants of Concern in soil and groundwater which require ongoing restriction of land use and pathway elimination. As such, it is necessary to restrict the use of the Property and implement Risk Management Measures as set out in the Risk Assessment and in Part 4 of the CPU.
- 3.5 I believe for the reasons set out in the Risk Assessment that it is also advisable to require the disclosure of this CPU and the registration of notice of the CPU on title to the Property as set out in the section 197 order requirements presented at Item 4.6, Item 4.7 and Item 4.8 of this CPU.

Part 4: Director Requirements

Pursuant to the authority vested in me under subsection 168.6(1) and section 197 of the Act, I hereby require the Owner to do or cause to be done the following:

- 4.1 Implement, and thereafter maintain or cause to be maintained, the Risk Management Measures.

4.2 Without restricting the generality of the foregoing in Section 4.1, carry out or cause to be carried out the following key elements of the Risk Management Measures:

Existing Hard Cap and Fill Cap Barriers:

- (a) The existing Hard Caps and Fill Cap Barriers over the entire Property shall be maintained for as long as the Contaminants of Concern are present on the Property at concentrations that exceed the ASCS so as to prevent exposure to the C O Cs identified on the Property;

Inspection, maintenance and reporting requirements for all Barriers:

- (b) Implement an inspection and maintenance program, prepared, in writing, by a Qualified Person retained by the Owner. The said document shall be made available for review by a Provincial Officer upon request. The purpose of the program shall be to ensure the permanent integrity of each Barrier at the Property so long as the Contaminants of Concern are present at the Property, including, at a minimum:
- i. procedures and timing for implementing the program;
 - ii. semi-annual inspections, in spring and fall, of the Barrier;
 - iii. noting any deficiencies in the Barrier observed during the inspections, or at any other time;
 - iv. repairing promptly any such deficiencies, to the original design specifications, with written confirmation that the Barrier has been properly repaired;
 - v. contingency measures, such as fencing, to be implemented if cracks, breaches or any loss of integrity of the Barrier cannot be repaired or addressed in a timely manner, to prevent exposure to the Contaminants of Concern in that area of the Property; and,
 - vi. recording, in writing, all inspections, deficiencies, repairs and implementation of contingency measures, to be retained by the Owner and which shall be made available for review by a Provincial Officer upon request;
 - vii. updated and delivered to the Owner within 30 days following making any alteration to the program;

all in accordance with section 1.4.1 of Appendix J of the Risk Assessment.

- (c) A site plan of the entire Property shall be prepared by a Licenced Professional Engineer for retention by the Owner who shall make it available for review by a Provincial Officer upon request. The site plan shall feature the Property and the location, type and design of each Barrier at the Property, including cross-sectional drawings of the Barrier showing its design and vertical and lateral extent. The said documents shall be updated and delivered to the Owner within 30 days following making any alteration to the location,

design or extent of the Barrier, or other relevant element of the site plan;

- (d) Written procedures shall be prepared by a Qualified Person for retention by the Owner, and be made available for review by a Provincial Officer upon request, to address written and oral communication to all persons who may be involved in Intrusive Activities at the Property that may disturb a Barrier at the Property, so as to ensure the persons are made aware of the presence and significance of the Barrier and the Contaminants of Concern at the Property and the precautions to be taken to ensure the permanent integrity of the Barrier when undertaking the Intrusive Activities, and if damaged, to ensure that the Barrier is repaired promptly to the original design specifications, or, if it cannot be repaired promptly, to ensure that the contingency measures are implemented, and records kept, as specified in the inspection and maintenance program. Such written procedures shall be delivered to the Owner before any Intrusive Activities are undertaken at the Property and, in the event that the procedures are altered, each update shall be delivered to the Owner within 30 days of the said alteration.

Existing Building with Storage Garage (intermittent 3.9 Litres/second/m² of ventilation):

- (e) The existing Building includes a Storage Garage constructed below the Grade of the Building and covering the entire Building Area except for a 1.1 metre wide interior corridor on the west side of the existing Building.
- (f) The Owner shall provide to the Director a statement dated and signed by a Licensed Professional Engineer that the mechanical ventilation system for the Storage Garage has been programmed to run the fans on P1 and P2 of the Storage Garage for a minimum of 30 minutes per day - in addition to that required under the Building Code as a response to CO/NO monitoring results - providing two full air changes per day.

Building Prohibition Risk Management Measure:

- (g) Refrain from constructing any New Building on, in or under the Property unless the said Building includes a Passive SVIMS or an Active SVIMS, designed by a Licenced Professional Engineer in consultation with a Qualified Person and, unless the plans and specifications for the Building specific Passive SVIMS or Active SVIMS have been approved by the Director.

Indoor Air Monitoring Program:

- (h) An indoor air monitoring program shall be undertaken as follows:
 - i. Starting in the calendar year 2024, an indoor air quality monitoring program shall be conducted by a Qualified Person for the ground floor for a minimum of twice a year to factor in the seasonal variability;
 - ii. The indoor air samples shall be analyzed for all C O Cs identified in groundwater as presented in the RA;

- iii. The indoor air monitoring program shall be carried out for at least two years and for every year thereafter until such time as the Director, upon application by the Owner, has determined from a review of the data that the indoor air monitoring program can be ended and amends this item of the CPU to remove it.

Data Acquisition for Sump Pumps

- (i) Digital sensors installed for monitoring sump pumps P-ST-P2.1 and P-ST-P2.2 shall have their respective run time data recorded through the Building Automation System (BAS). The acquired data shall be retained by the Owner and be made available for review by a Provincial Officer upon request.

Health and Safety Plan

- (j) A Property-specific health and safety plan (the "HASP") shall be developed for the Property and implemented during all planned Intrusive Activities in soil and groundwater that have been identified in the RA at concentrations that exceed the Applicable Site Condition Standard. A copy of the HASP shall be maintained at the Property for as long as there may be Intrusive Activities carried out at the Property. The Owner shall ensure that the HASP takes into account the presence of C O Cs and it is implemented prior to any Intrusive Activity being undertaken on the Property or portion(s) of the Property in order to protect workers from exposure to the C O Cs. The HASP shall be prepared in accordance with all applicable Ontario Ministry of Labour health and safety regulations, taking into consideration all potential risks identified in the RA and RMP, including, but not limited to, occupational hygiene requirements, personal protective equipment, contingency plans and contact information. Prior to the initiation of any Project (on the Property or portion(s) of the Property), the local Ontario Ministry of Labour office shall be notified, where so prescribed under the *Occupational Health and Safety Act*, R.S.O. 1990, c. O.1, of the proposed activities and that C O Cs have been identified in soil and groundwater on the Property. The HASP shall be overseen by a Competent Person to review the provisions of the plan with respect to the proposed work and shall conduct daily inspections. The Owner shall retain a copy of the HASP and make it available for review by a Provincial Officer upon request.

Soil and Groundwater Management Plan

- (k) A written groundwater management plan shall be developed specifically for the Property and implemented during all Intrusive Activities potentially in contact with or exposing C O Cs in Groundwater, prepared by a Qualified Person and to be retained by the Owner who shall make it available for review by a Provincial Officer upon request, for managing groundwater from dewatering during Intrusive Activities at the Property, so as to prevent exposure to or uncontrolled movement or discharge of the Contaminants of Concern in soil or groundwater at the Property, including, at a minimum:
 - i. procedures and timing for implementing the plan, including the supervision of persons implementing the plan; and,

- ii. measures to control dust and prevent tracking of soil by vehicles and persons from the Property, including the cleaning of equipment and vehicles; and
- iii. measures, in addition to any applicable measures specified in O. Reg. 153/04, to manage soil excavated at the Property and any soil brought to or removed from the Property, including:
 - α. characterizing for contaminant quality all excavated soil and any soil brought to the Property, including determining whether the soil:
 - (1) is suitable for use as Capping Soil;
 - (2) meets the Property Specific Standards; or
 - (3) exceeds the Property Specific Standards;
 - β. managing excavated soil separately from any soil brought to the Property, including any excavated soil that is to be:
 - (1) used as Capping Soil at the Property;
 - (2) otherwise used as fill at the Property;
 - (3) removed from the Property for off-site storage or processing but is to be returned for use as fill at the Property; or
 - (4) removed from the Property for off-site use as fill or disposal; and
 - γ. stockpiling of excavated soil and any soil brought to the Property in separate designated areas that:
 - (1) reflect the distinctions described in parts iii. α. and iii. β.; and
 - (2) have been lined and covered, as appropriate, to prevent uncontrolled movement or discharge of the Contaminants of Concern; and
 - (3) have been bermed or fenced, as appropriate, to restrict access by persons; and
 - (4) have storm water runoff controls in place to minimize storm water runoff contacting stockpiled soil, with provision for discharge of storm water runoff to a sanitary sewer or to other approved treatment if needed; and
- iv. measures to manage storm water and any groundwater from dewatering at the Property to prevent the movement of entrained soil and Contaminants of Concern within and away from the Property, including, in addition to any applicable measures specified pursuant to other applicable law or other instruments, measures such as silt fences, filter socks for catch-basins and utility covers, and provision for discharge to a sanitary sewer or to other approved treatment if needed; and,
- v. recording, in writing, the soil, storm water and any groundwater management measures undertaken, in addition to any applicable record keeping requirements specified in O. Reg. 153/04 or pursuant to other applicable law or other instruments, to be retained by the Owner who shall make it available for review by a Provincial Officer upon request, including:
 - α. dates and duration of the Intrusive Activities being undertaken;
 - β. weather and site conditions during the Intrusive Activities;
 - γ. the location and depth of excavation activities, and dewatering activities, if any;

- δ. dust control and soil tracking control measures;
- ε. characterization results for excavated soil and any soil brought to or removed from the Property, and for any groundwater from dewatering;
- ζ. soil management activities including soil quantities excavated and brought to and removed from the Property, and stockpile management and storm water runoff control;
- η. management activities for any groundwater from dewatering;
- θ. names and contact information for the Qualified Persons and on-site contractors involved in the Intrusive Activities;
- ι. names and contact information for all haulers and receiving sites for soil and any groundwater removed from the Property, and for all haulers and source sites of any soil brought to the Property; and
- κ. any complaints received relating to the Intrusive Activities, including the soil, storm water and any groundwater management activities;

and which plan is,

- λ. delivered to the Owner before any Intrusive Activities are undertaken at the Property; and
- μ. updated and delivered to the Owner within 30 days following making any alteration to the plan.

Annual Report:

- (l) The Owner shall prepare by March 31 each year, an annual report documenting activities relating to the Risk Management Measures undertaken during the previous calendar year. A copy of this report shall be maintained on file by the Owner and shall be made available for review by a Provincial Officer upon request. The report shall include, but not be limited to, the following minimum information requirements:
 - i. a copy of all records related to the inspection and maintenance program for the Barrier(s) to the Property soils;
 - ii. a copy of all records related to the inspection and maintenance program for any and all soil vapour intrusion control systems installed on the Property;
 - iii. a copy of all records related to the soil and groundwater management plans, and the HASP implemented at the Property;
 - iv. a copy of all records of the indoor air monitoring program; and,
 - v. a copy of all signed site plans and, when applicable, cross-sectional diagrams, including any alterations.

Restriction on Plant Production:

- (m) In those specific landscaped area(s) where any plant will be grown as food, and/or for its medicinal properties, and/or aesthetic value, the non-woven geotextile shall be covered by no less than 1.0 metre of soil in thickness, inclusive of a layer of topsoil sufficient to support horticultural needs. Both soil and topsoil placed above the non-woven geotextile shall meet the residential/parkland/institutional property use

standards listed in Table 3 of the ***Soil, Ground Water and Sediment Standards for Use under Part XV.1 of the Environmental Protection Act*** (published by the Ministry on April 15, 2011). Plants grown in containers with a hard bottom are exempt from this requirement.

No Groundwater Use Risk Management Measure:

- (n) Refrain from using groundwater in or under the Property as a source of water (e.g. watering plants, heat exchange, etc.).
- (o) Except, as may be required for continued use as a groundwater monitoring well, as defined in the OWRA:
 - i. properly abandon any wells on the Property, according to the requirements set out in Regulation 903 (Wells) made under the *Ontario Water Resources Act*; and,
 - ii. refrain from constructing any new wells on the Property as described or defined in the *Ontario Water Resources Act*.

Site Changes Affecting Risk Management Measures:

- 4.3 In the event of a change in the physical site conditions or receptor characteristics at the Property that may affect the Risk Management Measures and/or any underlying basis for the Risk Management Measures, the Owner shall forthwith notify the Director of such changes and the steps taken, to implement, maintain and operate any further Risk Management Measures as are necessary to prevent, eliminate or ameliorate any Adverse Effect that will result from the presence on, in or under the Property or the discharge of any Contaminant of Concern into the natural environment from the Property. In support of this work, a new risk assessment may need to be completed in accordance with O. Reg. 153/04 and submitted to the Ministry for acceptance. An amendment to the CPU will be issued to address the changes set out in any notice received and any future changes that the Director considers necessary in the circumstances.

Report Retention Requirements:

- 4.4 The Owner shall retain a copy of any reports required under the CPU for a period of seven (7) years from the date the report is created and within ten (10) days of the Director or a Provincial Officer making a request for a report, provide a copy to the requesting Director or Provincial Officer.

Property Notice Requirement:

- 4.5 For the reasons set out in the CPU and pursuant to the authority vested in me by subsection 197(1) of the Act I hereby order you and any other person with an interest in the Property, before dealing with the Property in any way, to give a copy of the CPU, including any amendments thereto, to every person who will acquire an interest in the Property, as a result of the dealing.

Certificate of Requirement Registration:

- 4.6 Within fifteen (15) days from the date of receipt of a certificate of requirement issued under subsection 197(2) of the Act, register the certificate of requirement on title to the Property, in the appropriate land registry office.
- 4.7 Within five (5) days after registering the certificate of requirement provide to the Director a copy of the registered certificate and of the parcel register(s) for the Property confirming that registration has been completed.

Owner Change Notification:

- 4.8 While the CPU is in effect, the Owner shall, forthwith report in writing to the Director any changes of ownership of the Property except that while the Property is registered under the *Condominium Act*, 1998, S.O.1998 c.19 no notice shall be given of changes in the ownership of individual condominium units or any appurtenant common elements on the Property.

Financial Assurance:

- 4.9 The Director has not included in the CPU a requirement that the Owner provide financial assurance to the Crown in right of Ontario.

Part 5: General

- 5.1 The requirements of the CPU are severable. If any requirement of the CPU or the application of any requirement to any circumstance is held invalid, the application of such requirement to other circumstances and the remainder of the CPU are not affected.
- 5.2 An application under subsection 168.6(3) of the Act to alter any terms and conditions in the CPU, or impose new terms and conditions, or revoke the CPU, shall be made in writing to the Director, with reasons for the request.

- 5.3 The Director may amend the CPU under subsections 132(2) or (3) of the Act to change a requirement as to financial assurance, including that the financial assurance may be increased or provided, reduced or released in stages. The total financial assurance required may be reduced from time to time or released by an order issued by the Director under section 134 of the Act upon request and submission of such supporting documentation as required by the Director.
- 5.4 Subsection 186(3) of the Act provides that failure to comply with the requirements of the CPU constitutes an offence.
- 5.5 The requirements of the CPU are minimum requirements only and do not relieve the Owner from, complying with any other applicable order, statute, regulation, municipal, provincial or federal law, or obtaining any approvals or consents not specified in the CPU.
- 5.6 Notwithstanding the issuance of the CPU, further requirements may be imposed in accordance with legislation as circumstances require.
- 5.7 In the event that, any person is, in the opinion of the Director, rendered unable to comply with any requirements in the CPU because of,
- a. natural phenomena of an inevitable or irresistible nature, or insurrections,
 - b. strikes, lockouts or other labour disturbances,
 - c. inability to obtain materials or equipment for reasons beyond your control, or
 - d. any other cause whether similar to or different from the foregoing beyond your control,
- the requirements shall be adjusted in a manner defined by the Director. To obtain such an adjustment, the Director must be notified immediately of any of the above occurrences, providing details that demonstrate that no practical alternatives are feasible in order to meet the requirements in question.
- 5.8 Failure to comply with a requirement of the CPU by a date specified does not relieve the Owner(s) from compliance with the requirement. The obligation to complete the requirement shall continue each day thereafter.
- 5.9 In the event that the Owner complies with the provisions of Items 4.6 and 4.7 of the CPU regarding the registration of the certificate of requirement on title to the Property, and then creates a condominium corporation by the registration of a declaration and description with respect to the Property pursuant to the *Condominium Act*, 1998, S.O. 1998, c.19 and then transfers ownership of the Property to various condominium unit owners, the ongoing obligations of the Owner under this CPU can be carried out by the condominium corporation on behalf of the new Owners of the Property.

Part 6: Information regarding a Hearing before the Ontario Land Tribunal

With respect to those provisions relating to my authority in issuing a certificate of property use under section 168.6 and an order under section 197 of the Act:

- 6.1 Pursuant to section 139 of the Act, you may require a hearing before the Ontario Land Tribunal (the “Tribunal”), if within fifteen (15) days after service on you of a copy of the CPU, you serve written notice upon the Director and the Tribunal.
- 6.2 Pursuant to section 142 of the Act, the notice requiring the hearing must include a statement of the portions of the CPU and the grounds on which you intend to rely at the hearing. Except by leave of the Tribunal, you are not entitled to appeal a portion of the CPU, or to rely on a ground, that is not stated in the notice requiring the hearing.
- 6.3 Service of a notice requiring a hearing must be carried out in a manner set out in section 182 of the Act and Ontario Regulation 227/07: Service of Documents, made under the Act. The contact information for the Director and the Tribunal is the following:

Registrar
Ontario Land Tribunal
655 Bay Street, Suite 1500
Toronto, ON, M5G 1E5
Email: OLT.Registrar@ontario.ca

and

Director, section 168.6 of the Act
Ministry of the Environment, Conservation and Parks
2430 Don Reid Drive, Suite 103
Ottawa ON
K1H 1E1
Fax: 613-521-5437
Email: MOEOttawa@ontario.ca

The contact information of the Ontario Land Tribunal and further information regarding its appeal requirements can be obtained directly from the Tribunal at:

Tel: (416) 212-6349 or Toll Free 1 (866) 448-2248 or <https://olt.gov.on.ca>.

Further information regarding service can be obtained from e-Laws at <https://www.ontario.ca/laws>. Please note that where service is made by mail, it is deemed to be made on the fifth day after the date of mailing and choosing service by mail does not extend any timelines.

- 6.4 Unless stayed by application to the Tribunal under section 143 of the Act, the CPU is effective from the date of issue.
- 6.5 If you commence an appeal before the Tribunal, under section 47 of the *Environmental Bill of Rights, 1993* (the “EBR”), you must give notice to the public in the Environmental Registry of Ontario. The notice must include a brief description of the CPU (sufficient to identify it) and a brief description of the grounds of appeal.
- The notice must be delivered to the Minister of the Environment, Conservation and Parks who will place it on the Environmental Registry of Ontario. The notice must be delivered to the Minister of the Ministry of the Environment, Conservation and Parks, College Park 5th Flr, 777 Bay St, Toronto, ON M7A 2J3 by the earlier of:
- (a) two (2) days after the day on which the appeal before the Tribunal was commenced; and,
 - (b) fifteen (15) days after service on you of a copy of the CPU.
- 6.6 Pursuant to subsection 47(7) of the EBR, the Tribunal may permit any person to participate in the appeal, as a party or otherwise, in order to provide fair and adequate representation of the private and public interests, including governmental interests, involved in the appeal.
- 6.7 Pursuant to section 38 of the EBR, any person resident in Ontario with an interest in the CPU may seek leave to appeal the CPU. Pursuant to section 40 of the EBR, the application for leave to appeal must be made to the Tribunal by the earlier of:
- (a) fifteen (15) days after the day on which notice of the decision to issue the CPU is given in the Environmental Registry of Ontario; and,
 - (b) if you appeal, fifteen (15) days after the day on which your notice of appeal is given in the Environmental Registry of Ontario.
- 6.8 The procedures and other information provided in this Part 6 are intended as a guide. The legislation should be consulted for additional details and accurate reference. Further information can be obtained from e-Laws at <https://www.ontario.ca/laws>.

Issued at Ottawa this 23rd day of February, 2024



Tracy Hart
Director, section 168.6 of the Act

Schedule A

Contaminants of Concern, Property Specific Standards, and Capping Soil Concentrations

Media	Contaminant of Concern (C O C)	Property Specific Standards	Units
Soil	1,1,2,2-Tetrachloroethane	0.19	micrograms per gram
Soil	Tetrachloroethylene	39.8	micrograms per gram
Soil	Trichloroethylene	0.71	micrograms per gram
Groundwater	Chloroform	34.7	micrograms per litre
Groundwater	1,2- <i>cis</i> -Dichloroethylene	348	micrograms per litre
Groundwater	1,2- <i>trans</i> -Dichloroethylene	6.72	micrograms per litre
Groundwater	1,1,2,2-Tetrachloroethane	184.8	micrograms per litre
Groundwater	Tetrachloroethylene	4,600	micrograms per litre
Groundwater	Trichloroethylene	64.3	micrograms per litre
Groundwater	Vinyl Chloride (nominal)	419	micrograms per litre
		ASCS	
Capping Soil	1,1,2,2-Tetrachloroethane	0.05	micrograms per gram
Capping Soil	Tetrachloroethylene	0.28	micrograms per gram
Capping Soil	Trichloroethylene	0.061	micrograms per gram

