

**Ministry of the Environment,
Conservation and Parks**
2nd Floor, 40 St Clair Ave W
Toronto, ON
M4V 1M2
Telephone: (437) 242-5596

**Ministère de l'Environnement, de la
Protection de la nature et des Parcs**
2e étage, 40 av St. Clair O
Toronto, ON
M4V 1M2
Téléphone : (437) 242-5596



September 2, 2026

Michael Frezza, Plant Manager
Arvin Sango Canada Inc.
2330 Discovery Dr
London, Ontario
N6M 0C6

Dear Michael Frezza:

**Re: Application for Approval
Amendment to ECA No. 6525-9MCQE8 - Renewal of LOF
London City, County of Middlesex
Reference Number 0921-DMGHUD**

As requested in the letter (email) from Emily Lau, Team Lead and Senior Air Quality Engineer, B.A.Sc., P.Eng. (WSP) dated August 21, 2026, your application is considered withdrawn and the above-noted file is now closed.

The submitted application fee will be refunded shortly in the amount of \$1,400 which represents the amount submitted reduced by the non-refundable administrative processing fee of \$200.

If you wish to pursue your original proposal in the future, you will need to submit a new application complete with all required supporting information and appropriate application fee.

We also emphasize that under section 20.2 of Part II.1 of the Environmental Protection Act, (Act) you are required to obtain an approval under section 20.3 of Part II.1 of the Act before construction, alteration, extension or replacement of any equipment or structure that may emit or from which may be emitted a contaminant into the natural environment.

If you have any questions regarding the above, please contact Jan Kowalczyk, P.Eng., Senior Air Engineer at (437) 242-5596.

Yours truly,

A handwritten signature in dark ink, reading "Nancy Orpana". The signature is written in a cursive, flowing style.

Nancy E Orpana, P.Eng.

Director

appointed for the purposes of Part II.1 of the *Environmental Protection Act*

JK/

c: District Manager, MECP London - District
Emily Lau, WSP Canada Inc.